
STAIR B
CAPACITY: 280P
STAIR C
CAPACITY: 230P
WOMEN'S LOCKERS & SHOWERS 592 SF / 50 =12P
WOMEN'S BATHROOM 382 SF / 100 =4P
COACHES OFFICES 169 SF / 100=2P
TRAINER/ F.A.A 120 SF / 100 =2P
CORRIDOR 1P
HALLWAY 1 238=19 SF
MAXIMUM EGRESS TRAVEL DIST. EXIT 72'
MECHANICAL 1343 SF / 300 =5P
COAT ROOM/ STORAGE 232 SF / 300 =1P
MEN'S LOCKERS & SHOWERS 509 SF / 50 =10P
MEN'S BATHROOM 254 SF / 100 =3P
ELEVATOR & LOBBY AREA 240 SF / 100 =3P
ADEE STAIR HALL 131 SF / 100 =2P
OPEN TO BELOW
RECONSTRUCTED ADEE COMMON ROOM 1274 SF NET / 5 =255P
25'-4 1/2"
50'-11"
44" CORRIDOR WIDTH - B (BUSINESS) REQ.
MAIN HALLWAY 510 SF / 100 =5P
WARMING KITCHEN 549SF / 200 =3P
FITNESS & GENERAL STORAGE 309 SF / 300 =1P
HALLWAY 2 45 SF / 100 =1P
OFFICE 104 SF / 100 =1P
OFFICE 106 SF / 100 =1P
OFFICE 114 SF / 100 =1P
ADMIN OFFICES 853 SF / 100 =9P
CONFERENCE 745 SF NET / 7 =107P
MAIN HALL 2155 SF NET / 7 =308P
FLEX FITNESS 721 SF NET / 7 =103P
STAIR A
CAPACITY: 226P
STAIR D
CAPACITY: 300P
104'-1"
10'-0"
130'-5"
189'-11"